NATIONAL CYTOLOGY PROFICIENCY TESTING UPDATE

Cheryl Wiseman, MPH, CT(ASCP)

Division of Laboratory Services

Survey and Certification Group



CIVIS
CENTERS for IMEDICATE & IMEDICAD SERVICES

CLIA Statute – October 31, 1988

"Periodic confirmation and evaluation of the proficiency of individuals involved in screening or interpreting cytological preparations, including announced and unannounced on-site proficiency testing of such individuals, with such testing to take place, to the extent practicable, under normal working conditions."





CMS-Approved Programs 2005

- State of Maryland Cytology Proficiency Testing Program
- Midwest Institute for Medical Education, Inc.





Test Sequence

- Initial Test 10 slide test
- First Retest 10 slide test
- Second Retest 20 slide test
- Third Retest 20 slide test





PRELIMINARY RESULTS (2005 Only)





Initial Testing Event (10 Slides in 2 Hours)

Totals

Passed

Failed

12,786

11,630 (91%) 1,156 (9%)

(As of 8/26/05)

5,274

4,624 (88%)

650 (12%)





Initial Testing Event (2005 Only)

<u>Type</u>	<u>Pass</u>	<u>Failed</u>
CT	6,069 (93%)	439 (7%)
Pri. MD	309 (67%)	152 (33%)
Sec. MD	5,236 (90%)	561 (10%)
LT	16 (80%)	4 (20%)



Second Testing Event (10 Slides in 2 Hours)

Totals

Passed

Failed

1,124

1,015 (90%) 109 (10%)

(As of 8/26/05)

427

381 (89%)

46 (11%)





Second Testing Event (2005 Only)

<u>Type</u>	<u>Pass</u>	<u>Failed</u>
CT	425 (96%)	17 (4%)
Pri. MD	87 (66%)	44 (34%)
Sec. MD	501 (92%)	46 (8%)
LT	2 (50%)	2 (50%)



Third Testing Event (20 Slides in 4 Hours)

Totals

Passed

Failed

48

41 (85%)

7 (15%)

(As of 8/26/05)

10

7 (70%)

3 (30%)





Third Testing Event (2005 Only)

<u>Type</u>	<u>Pass</u>	<u>Failed</u>
CT	8 (89%)	1 (11%)
Pri. MD	12 (80%)	3 (20%)
Sec. MD	21 (88%)	3 (13%)
LT	0 (0%)	0 (0%)



Fourth Testing Event (20 Slides in 4 Hours)

Totals

Passed

Failed

2

1 (50%)

1 (50%)

(As of 8/26/05)

0

0(0%)

0(0%)





Fourth Testing Event (2005 Only)

<u>Type</u>	<u>Pass</u>	<u>Failed</u>
CT	0 (0%)	0 (0%)
Pri. MD	0 (0%)	1 (100%)
Sec. MD	1 (100%)	0 (0%)
LT	0 (0%)	0 (0%)

CLIA



Comparison Of Initial Failure Rates

	Total # Tested	% Failed
MD 90	293	11%
MD95	603	6%
N (TN (T)*	10.059	00/
MIME*	12,258	9%

* Preliminary Results As Of 1/31/06





Analysis





Preparation Types – CT (As of 2/3/06 MIME ONLY)

Type

Conv.

SP

Total Slides Reviewed

62,781

5,450

7,975

49,356

Correct Response Category

57,617(92%) 4,939(91%) 7,574(95%) 45,104(91%)

Incorrect Response Category

5,164(8%) 511(9%) 401(5%)

4,252(9%)





Preparation Types – Pri. MD (As of 2/3/06 MIME ONLY)

Type

Conv.

SP

Total Slides Reviewed

6,224

1,482

803

3,939

Correct Response Category

5,569(89%) 1,307(88%) 758(94%) 3,504(89%)

Incorrect Response Category

655(11%) 175(12%) 45(6%)

435(11%)





Preparation Types – Sec. MD (As of 2/3/06 MIME ONLY)

Type

Conv.

SP

Total Slides Reviewed

58,072

5,643

9,476

42,953

Correct Response Category

54,677(94%) 5,278(94%) 9,148(97%) 40,251(94%)

Incorrect Response Category

3395(6%) 365(6%) 328(3%)

2,702(6%)





Automatic Failure – HSIL/CA Called Normal/Benign (As of 2/3/06 MIME ONLY)

Total Tested Total Failed Auto Failure

CT 6,596 438(7%) 244(56%)

Pri MD 604 200(33%) 71(36%)

Sec. MD 6,187 606(10%) 168(28%)



Type



Current Environment





CMS-Approved Programs 2006

- State of Maryland Cytology Proficiency Testing Program (1995 - 2005)
- Midwest Institute for Medical Education, Inc. (2005)
- College of American Pathologists (2006)





Current Activities

- Conference Calls and Meetings with Cytology Professional Organizations
- S & C Memorandum (2006)
- Formation of CLIAC Workgroup
 - Pathologists
 - Cytotechnologists
- Open Door Forum





Future Activities

- Convene CLIAC Workgroup (March 2006)
- Interim CLIAC Meeting (Summer 2006)
- NPRM
- Final Rule





THANK YOU!



